


守山学区 水質


調査地点 1-2: 中筋川



守山	化学的酸素要求量COD (mg/l)											
	11	12	13	14	15	16	17	18	19	20	21	22
1-2	5.8	5.8	6.0	6.0	4.4	4.6	4.2	4.0	4.5	5.3	5.5	4.0
2-5	1.7	2.5	3.0	3.0	2.2	1.8	3.4	2.0	1.4	1.0	1.8	1.4
3-2	3.8	4.0	6.0	5.0	4.4	4.4	4.2	4.0	3.8	3.0	3.0	4.0


2-5: 金森川

3-2: 堺川




守山	硝酸態窒素 (mg/l)											
	11	12	13	14	15	16	17	18	19	20	21	22
1-2	0.20	0.25	0.20	0.20	0.30	0.34	0.26	0.20	0.23	0.20	0.40	0.32
2-5	0.50	0.38	0.92	1.60	0.66	1.08	1.08	1.28	0.70	0.95	0.76	0.62
3-2	0.20	0.30	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20

りん酸



守山	リン酸態リン (mg/l)											
	11	12	13	14	15	16	17	18	19	20	21	22
1-2	0.05	0.03	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.07
2-5	0.12	0.03	0.19	0.03	0.03	0.03	0.02	0.02	0.03	0.04	0.05	0.03
3-2	0.05	0.02	0.02	0.02	0.05	0.02	0.02	0.04	0.02	0.02	0.02	0.02

透視度



守山	透視度 (cm)											
	11	12	13	14	15	16	17	18	19	20	21	22
1-2	33	58	44	29	54	50	61	59	59	54	63	60
2-5	100	95	99	86	78	95	91	100	88	86	92	86
3-2	79	100	60	70	76	68	81	79	73	86	81	59